| L | Hits | Search Text | DB | Time stamp |
|--------|----------|--|----------------------|---------------------|
| Number | | | | |
| 1 | 1065 | multi\$dimension\$4 adj space ambiguit\$4 and group\$4 with ambiguit\$4 | USPAT; EPO; JPO; | 2003/08/25 13:38 |
| _ | | - N. A. | IBM_TDB | 2002/08/25 |
| 2 | 783 | multi\$dimension\$4 adj space ambigu\$6 and | USPAT; | 2003/08/25 |
| | | group\$4 with ambiguit\$4 and order\$4 with | EPO; JPO; | 13:39 |
| _ | | ambigu\$4 with objects | IBM_TDB | 2002/08/25 |
| 3 | 777 | multi\$dimension\$4 adj space ambigu\$6 and | USPAT; | 2003/08/25 |
| | | group\$4 with ambiguit\$4 and order\$4 with | EPO; JPO; | 13:39 |
| | | ambigu\$4 adj objects | IBM_TDB | 2002/00/05 |
| 4 | 777 | multi\$dimension\$4 adj space ambigu\$6 and | USPAT; | 2003/08/25 |
| | | group\$4 with ambiguit\$4 and order\$4 adj | EPO; JPO; | 13:40 |
| _ | | ambigu\$4 adj objects | IBM_TDB | 2002/00/25 |
| 5 | 0 | multi\$dimension\$4 adj space and ambigu\$6 | USPAT; | 2003/08/25 |
| | | and group\$4 with ambiguit\$4 and order\$4 | EPO; JPO; | 13:40 |
| | | adj ambigu\$4 adj objects | IBM_TDB | 2002/08/25 |
| 6 | 0 | multi\$dimension\$4 adj space and ambigu\$6 | USPAT; | 2003/08/25 |
| | Ì | and group\$4 with ambiguit\$4 and order\$4 | EPO; JPO; IBM TDB | 13:40 |
| -, | | with ambigu\$4 with objects | USPAT; | 2003/08/25 |
| 7 | 57 | multi\$dimension\$4 adj space and ambigu\$6 | EPO; JPO; | 13:40 |
| | | | IBM TDB | 13.40 |
| ۵ | 23 | multi\$dimension\$4 adj space and ambigu\$6 | USPAT; | 2003/08/25 |
| 8 | 23 | and sort\$4 and group\$4 | EPO; JPO; | 13:41 |
| | | and sort34 and group34 | IBM TDB | 13.41 |
| 0 | 51 | multi\$dimension\$4 adj space and (ambigu\$6 | USPAT; | 2003/08/25 |
| 9 | 21 | uncertain\$4 unknows) and sort\$4 and | EPO; JPO; | 13:41 |
| | | group\$4 | IBM TDB | 13.41 |
| 10 | 4 | multi\$dimension\$4 adj space and (ambigu\$6 | USPAT; | 2003/08/25 |
| 10 | " | uncertain\$4 unknows) and sort\$4 with | EPO; JPO; | 13:42 |
| | | (ambigu\$6 uncertain\$4 unknown) and | IBM TDB | 13.12 |
| | | group\$4 | 12122 | |
| 12 | 3 | multi\$dimension\$4 adj space and (ambigu\$6 | USPAT; | 2003/08/25 |
| ** | | uncertain\$4 unknows) and (sort\$4 order\$4) | EPO; JPO; | 13:53 |
| | | with (ambigu\$6 uncertain\$4 unknown) and | IBM TDB | |
| | | group\$4 with (ambigu\$6 uncertain\$4 | | |
| | | unknown) | | |
| 11 | 4 | multi\$dimension\$4 adj space and (ambigu\$6 | USPAT; | 2003/08/25 |
| | 1 | uncertain\$4 unknows) and sort\$4 with | EPO; JPO; | 13:51 |
| | | (ambigu\$6 uncertain\$4 unknown) and | IBM TDB | · |
| | | group\$4 and sort\$4 | _ | |
| 13 | 8 | multi\$dimension\$4 adj space and (ambigu\$6 | USPAT; | 2003/08/25 |
| | | uncertain\$4 unknows) and (sort\$4 order\$4) | EPO; JPO; | 14:59 |
| | | with (ambigu\$6 uncertain\$4 unknown) and | IBM_TDB | |
| | | (group\$4 categoriz\$4) with (ambigu\$6 | | |
| | | uncertain\$4 unknown) | | |
| 14 | 5 | multi\$dimension\$4 adj space and (ambigu\$6 | USPAT; | 2003/08/25 |
| | | uncertain\$4 unknows) and (sort\$4 | EPO; JPO; | 13:58 |
| | | ordering) with (ambigu\$6 uncertain\$4 | IBM_TDB | |
| | | unknown) and (group\$4 categoriz\$4) with | | |
| | _ | (ambigu\$6 uncertain\$4 unknown) | Habbe | 2002/09/25 |
| 15 | 5 | multi\$dimension\$4 adj space and (unclear | USPAT; | 2003/08/25 |
| | | ambigu\$6 uncertain\$4 unknows) and (sort\$4 | EPO; JPO; | 13:58 |
| | | ordering) with (ambigu\$6 uncertain\$4 | IBM_TDB | |
| | | unknown) and (group\$4 categoriz\$4) with | | |
| 1.6 | - | (ambigu\$6 uncertain\$4 unknown) | HCDAM. | 2003/08/25 |
| 16 | 5 | multi\$dimension\$4 adj space and (unclear | USPAT; EPO; JPO; | 13:59 |
| | | ambigu\$6 uncertain\$4 unknows) and (sort\$4 | | 13.39 |
| | | ordering) with (ambigu\$6 uncertain\$4 | IBM_TDB | |
| | | unknown) and (group\$4 categoriz\$4) with | | |
| 17 | 0 | (ambigu\$6 unclear uncertain\$4 unknown) | USPAT; | 2003/08/25 |
| 1 / | | dimension\$4 adj space and (unclear ambigu\$6 uncertain\$4 unknows) and (sort\$4 | EPO; JPO; | 13:59 |
| 1 | | ordering) with (ambigu\$6 uncertain\$4 | IBM TDB | 13.35 |
| | | ordering) with (ambiguse uncertains4 unknown) and (group\$4 categoriz\$4) with | 1 1011 - 1010 | |
| | | (ambigu\$6 unclear uncertain\$4 unknown) | | |
| L | <u> </u> | (ampiguae uncrear uncertaina4 unknown) | <u> </u> | |

| 18 | 5 | multi\$dimension\$4 with space and (unclear | USPAT; | 2003/08/25 |
|----------|-------|--|---|------------|
| | | ambigu\$6 uncertain\$4 unknows) and (sort\$4 | EPO; JPO; | 14:00 |
| | | ordering) with (ambigu\$6 uncertain\$4 | IBM_TDB | |
| | | unknown) and (group\$4 categoriz\$4) with | | |
| | _ | (ambigu\$6 unclear uncertain\$4 unknown) | | 0000/00/05 |
| 19 | 6 | dimensional with space and (unclear | USPAT; | 2003/08/25 |
| | | ambigu\$6 uncertain\$4 unknows) and (sort\$4 | EPO; JPO; | 14:00 |
| | | ordering) with (ambigu\$6 uncertain\$4 | IBM_TDB | · |
| | | unknown) and (group\$4 categoriz\$4) with (ambigu\$6 unclear uncertain\$4 unknown) | | |
| 22 | 20 | rate adj change adj position with object | USPAT; | 2003/08/25 |
| 22 | 20 | lace adj change adj posicion with object | EPO; JPO; | 14:59 |
| | | | IBM TDB | |
| 23 | 0 | rate adj change adj position with object | USPAT; | 2003/08/25 |
| 23 | | and multi\$dimensional adj space | EPO; JPO; | 14:59 |
| | | | IBM TDB | |
| 24 | 0 | rate with change with position with | USPAT; | 2003/08/25 |
| | | object and multi\$dimensional adj space | EPO; JPO; | 15:00 |
| | | | IBM_TDB | |
| 25 | 8 | rate with change with position with | USPAT; | 2003/08/25 |
| | | object and dimensional adj space | EPO; JPO; | 15:04 |
| | ŀ | | IBM_TDB | 0000/55/55 |
| 26 | 1 | rate with change with position with | USPAT; | 2003/08/25 |
| | | object and dimensional adj space and | EPO; JPO; | 15:04 |
| | _ | threshold | IBM_TDB | 2002/09/25 |
| | 1 | 6466158.pn. | USPAT; | 2003/08/25 |
| | | | EPO; JPO; IBM TDB | 09.30 |
| | 2535 | laction with (indicia indicated) | USPAT; | 2003/04/02 |
| _ | 2535 | assign with (indicia indicat\$4) | EPO; JPO; | 11:59 |
| | | | IBM TDB | 11.35 |
| _ | 6 | assign with (indicia indicat\$4) and | USPAT; | 2003/04/02 |
| | | object with multi\$dimension\$4 | EPO; JPO; | 12:00 |
| | | Object with martiquementation, | IBM TDB | |
| | 3 | assign with (indicia indicat\$4) and | USPAT; | 2003/04/02 |
| | | object with multi\$dimension\$4 and sort\$4 | EPO; JPO; | 12:02 |
| | | | IBM_TDB | |
| _ | 0 | assign with (indicia indicat\$4) and | USPĀT; | 2003/04/02 |
| | | object with multi\$dimension\$4 and sort\$4 | EPO; JPO; | 12:02 |
| | | and ambigu\$4 | IBM_TDB | |
| - | 0 | assign with (indicia indicat\$4) and | USPAT; | 2003/04/02 |
| | | object same multi\$dimension\$4 and sort\$4 | EPO; JPO; | 12:02 |
| | _ | and ambigu\$4 | IBM_TDB | 2002/04/02 |
| - | 3 | assign with (indicia indicat\$4) and | USPAT; | 2003/04/02 |
| | | object with multi\$dimension\$4 and sort\$4 | EPO; JPO; | 12:04 |
| | | and (organi\$4 order) assign with (indicia indicat\$4 identif\$4) | IBM_TDB USPAT; | 2003/04/02 |
| _ | 4 | assign with (indicia indicat) and object with multi\$dimension\$4 and | EPO; JPO; | 12:06 |
| | | sort\$4 and (organi\$4 order). | IBM TDB | 11.00 |
| <u>_</u> | 7702 | ambiguous | USPAT; | 2003/04/02 |
| | ','02 | | EPO; JPO; | 12:06 |
| | | | IBM TDB | |
| - | 368 | ambiguous with object | USPAT; | 2003/04/02 |
| | | | EPO; JPO; | 12:07 |
| | 1 | | IBM_TDB | |
| - | 24 | ambiguous with object and | USPAT; | 2003/04/02 |
| | | multi\$dimension\$4 | EPO; JPO; | 12:07 |
| | | | IBM_TDB | |
| - | 9 | ambiguous with object and | USPAT; | 2003/04/02 |
| | | multi\$dimension\$4 with space | EPO; JPO; | 12:07 |
| | | | IBM_TDB | 2003/04/03 |
| - | 5 | ambiguous with object and | USPAT; | 2003/04/02 |
| | | multi\$dimension\$4 with space and | EPO; JPO; | 12:08 |
| | | ambiguit\$4 | IBM_TDB | 2003/04/02 |
| _ | 2 | ambiguous with object and | USPAT; EPO; JPO; | 12:13 |
| | | multi\$dimension\$4 with space and | IBM TDB | 14.13 |
| | 59357 | ambiguit\$4 and first adj dimension indicia | USPAT; | 2003/04/02 |
| - | 39357 | Indicia | EPO; JPO; | 12:13 |
| | ŀ | | IBM TDB | |
| | L | <u> </u> | 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 | <u> </u> |

| | | • | | |
|-----|-----|---|---|--------------|
| _ | 952 | assign\$4 with indicia | USPAT; | 2003/04/02 |
| | | | EPO; JPO; | 12:13 |
| | | | IBM_TDB | |
| - | 1 | assign\$4 with indicia and object with | USPAT; | 2003/04/02 |
| | | multi\$dimensional | EPO; JPO; | 12:14 |
| | | | IBM_TDB | |
| - | 54 | | USPAT; | 2003/04/02 |
| | | identif\$4 id) and object with | EPO; JPO; | 12:15 |
| | | multi\$dimensional | IBM_TDB | |
| - | 14 | | USPAT; | 2003/04/02 |
| | - | identif\$4 id) and object with | EPO; JPO; | 12:15 |
| | | multi\$dimensional same space | IBM_TDB | 2222 (24 (22 |
| - | 9 | assign\$4 with (indicia indicator | USPAT; | 2003/04/02 |
| | | identif\$4 id) and object with | EPO; JPO; | 12:16 |
| | | multi\$dimensional same space and sort\$4 | IBM_TDB | |
| | 1 | and (order organiz\$4 group\$4) assign\$4 with (indicia indicator | IICDAM. | 2003/04/02 |
| - | _ | identif\$4 id) and object with | USPAT; EPO; JPO; | 12:24 |
| | | multi\$dimensional same space and sort\$4 | IBM TDB | 12.24 |
| | | | 1 | |
| | | and (order organiz\$4 group\$4) and (ambigu\$6 unknown) | | |
| _ | 283 | group\$4 with ambiguit\$4 | USPAT; | 2003/04/02 |
| | 203 | GLOUPYT WICH AMDIGUICYT | EPO; JPO; | 12:25 |
| | | · | IBM TDB | 12.23 |
| _ | 7 | group\$4 with ambiguit\$4 with object | USPAT; | 2003/04/02 |
| | l ' | aroabas when aumidateds when onlece | EPO; JPO; | 12:25 |
| | | | IBM TDB | 12.20 |
| _ | 0 | group\$4 with ambiguit\$4 with object and | USPAT; | 2003/04/02 |
| | | multi\$dimension\$4 with space | EPO; JPO; | 12:26 |
| | | mazozy azmonazony i wzon spaco | IBM TDB | - |
| _ | 0 | group\$4 with ambiguit\$4 with object and | USPAT; | 2003/04/02 |
| | | multi\$dimension\$4 same space | EPO; JPO; | 12:26 |
| | | _ · · · · · · · · · · · · · · · · · · · | IBM TDB | |
| _ | 0 | group\$4 same ambiguit\$4 with object and | USPAT; | 2003/04/02 |
| | | multi\$dimension\$4 same space | EPO; JPO; | 12:27 |
| | | • | IBM_TDB | |
| - | 2 | group\$4 same ambiguit\$4 with object and | USPAT; | 2003/04/02 |
| - | | multi\$dimension\$4 | EPO; JPO; | 12:34 |
| | _ | | IBM_TDB | |
| - | 0 | group\$4 same ambigu\$4 with object and | USPAT; | 2003/04/02 |
| | | multi\$dimension\$4 same space | EPO; JPO; | 12:27 |
| | _ | | IBM_TDB | 0000/04/00 |
| _ | 3 | group\$4 same ambigu\$4 with object and | USPAT; | 2003/04/02 |
| · · | ĺ | multi\$dimension\$4 | EPO; JPO; | 12:40 |
| | . 0 | group\$4 same ambigu\$4 adj object and | IBM_TDB USPAT; | 2003/04/02 |
| | ' ' | multi\$dimension\$4 and ambiguit\$4 | EPO; JPO; | 12:41 |
| 1 | | mercriatuenerous and ampidates. | IBM TDB | 10.11 |
| - | 2 | group\$4 same ambigu\$4 with object and | USPAT; | 2003/04/02 |
| | [| multi\$dimension\$4 and ambiguit\$4 | EPO; JPO; | 12:46 |
| | | | IBM TDB | |
| - | 44 | first adj dimension and group with subset | USPAT; | 2003/04/02 |
| | | J | EPO; JPO; | 12:48 |
| | | | IBM TDB | |
| - | 0 | first adj dimension and group with subset | USPAT; | 2003/04/02 |
| | | and ambiguous and ambiguit\$4 | EPO; JPO; | 12:50 |
| | | - | IBM_TDB | |
| - | 0 | first adj dimension and group with subset | USPAT; | 2003/04/02 |
| | · | and ambiguous with object | EPO; JPO; | 12:51 |
| | | | IBM_TDB | |
| - | 858 | object with ambigu\$4 | USPAT; | 2003/04/02 |
| | | | EPO; JPO; | 12:51 |
| | | | IBM_TDB | |
| - | 3 | object with ambigu\$4 and group with | USPAT; | 2003/04/02 |
| | | ambigu\$4 and order with ambigu\$4 with | EPO; JPO; | 13:01 |
| | _ | object | IBM_TDB | 2002/04/22 |
| - | 4 | group\$4 with ambiguous with object | USPAT; | 2003/04/02 |
| | | | EPO; JPO; | 13:05 |
| L | | | IBM_TDB | |

| _ | 0 | (ordering grouping) with ambiguous with object | USPAT; EPO; JPO; | 2003/04/02 13:06 |
|----|------|---|--------------------------------|---------------------|
| | 176 | ambiguous with object and ambiguit\$4 | IBM_TDB USPAT; EPO; JPO; | 2003/04/02 13:06 |
| - | 17 | ambiguous with object and ambiguit\$4 and (group organiz\$4) with ambigu\$4' | IBM_TDB USPAT; EPO; JPO; | 2003/04/02 13:07 |
| - | 17 | ambiguous with object and ambiguit\$4 and (group organiz\$4) with ambigu\$4 | IBM_TDB USPAT; EPO; JPO; | 2003/04/02 13:13 |
| - | 0 | 707/\$.ccls. and ambiguous with object and ambiguit\$4 and (group organiz\$4) with | IBM_TDB USPAT; EPO; JPO; | 2003/04/02 13:14 |
| - | 15 | ambigu\$4 707/\$.ccls. and ambiguous same object and ambiguit\$4 and (group categor\$4 | IBM_TDB USPAT; EPO; JPO; | 2003/04/02 13:14 |
| - | 4 | organiz\$4) with object sameambigu\$4 707/\$.ccls. and ambiguous same object and ambiguit\$4 and (group categor\$4 | IBM_TDB USPAT; EPO; JPO; | 2003/04/02 13:18 |
| _ | 15 | organiz\$4) with object same ambigu\$4 707/\$.ccls. and ambiguous same object and ambiguit\$4 and (group categor\$4 | IBM_TDB USPAT; EPO; JPO; | 2003/04/02 13:19 |
| _· | 1 | organiz\$4) with object 707/\$.ccls. and ambiguous same object and ambiguit\$4 and (group categor\$4 | IBM_TDB USPAT; EPO; JPO; | 2003/04/02 13:24 |
| | 0 | organiz\$4) with object and multi\$dimension\$4 707/\$.ccls. and ambiguous same object and | <pre>IBM_TDB USPAT;</pre> | 2003/04/02 |
| _ | 3 | ambiguit\$4 and multi\$dimension\$4 adj space ambiguous same object and ambiguit\$4 and | EPO; JPO; IBM_TDB USPAT; | 13:25 |
| _ | 777 | multi\$dimension\$4 adj space multi\$dimension\$4 adj space | EPO; JPO; IBM_TDB USPAT; | 13:25 |
| | | multi\$dimension\$4 adj space and assign\$4 | EPO; JPO; IBM_TDB USPAT; | 09:58 |
| | 3307 | with (indicia indicator) | EPO; JPO; IBM_TDB USPAT; | 09:53 |
| - | | assign\$4 with (indicia indicator) | EPO; JPO; IBM_TDB | 09:52 |
| - | 0 | (multi\$dimension\$4 adj space) and (assign\$4 with (indicia indicator)) | USPAT; EPO; JPO; IBM_TDB | 2003/08/25 |
| - | 50 | multi\$dimension\$4 adj space and assign\$4 with object | USPAT; EPO; JPO; IBM_TDB | 2003/08/25 |
| _ | 9 | with object and sort\$4 with object | USPAT; EPO; JPO; IBM_TDB | 2003/08/25 |
| _ | 0 | multi\$dimension\$4 adj space and assign\$4 with object and sort\$4 with object with location with dimension | USPAT; EPO; JPO; IBM_TDB | 2003/08/25 |
| - | 0 | multi\$dimension\$4 adj space and assign\$4 with object and sort\$4 with object with location | USPAT; EPO; JPO; IBM_TDB | 2003/08/25 09:55 |
| - | 0 | multi\$dimension\$4 adj space and assign\$4 with object and sort\$4 with object with dimension | USPAT; EPO; JPO; IBM_TDB | 2003/08/25 |
| - | 178 | ambiguit\$4 with coordinate | USPAT; EPO; JPO; IBM_TDB | 2003/08/25 09:56 |
| - | 40 | ambiguit\$4 with coordinate AND VALUE WITH LOCATION | USPĀT; EPO; JPO; IBM_TDB | 2003/08/25 09:57 |
| - | 18 | ambiguit\$4 with coordinate AND VALUE WITH LOCATION and separation | USPAT; EPO; JPO; IBM_TDB | 2003/08/25 09:57 |

| Γ= | 0 | ambiguit\$4 with coordinate AND VALUE WITH | USPAT; | 2003/08/25 |
|----------------|-------|---|-----------|--------------|
| | - | LOCATION and separation with object with | EPO; JPO; | 09:57 |
| 1 | | threshold | IBM TDB | |
| i | | | USPAT; | 2003/08/25 |
| - . | 3 | ambiguit\$4 with coordinate AND VALUE WITH | | 1 |
| | | LOCATION and separation with object | EPO; JPO; | 09:58 |
| | | | IBM_TDB | |
| - | 209 | multi\$dimension\$4 adj space and sort\$4 | USPAT; | 2003/08/25 |
| | | • | EPO; JPO; | 09:59 |
| | | | IBM TDB | |
| | 166 | multi\$dimension\$4 adj space and sort\$4 | USPAT; | 2003/08/25 |
| - | 100 | | EPO; JPO; | 09:59 |
| | | and group\$4 | · · · | 09:39 |
| | | | IBM_TDB | |
| - | 19 | multi\$dimension\$4 adj space and sort\$4 | USPAT; | 2003/08/25 |
| | | and group\$4 and ambiguit\$4 | EPO; JPO; | 10:00 |
| | | | IBM TDB | |
| _ | 0 | multi\$dimension\$4 adj space and sort\$4 | USPAT; | 2003/08/25 |
| | | and group\$4 and ambiguit\$4 and indicia | EPO; JPO; | 10:01 |
| | | and groupsy and ambiguitsy and indicia | IBM TDB | 10.01 |
| | | | | 0000 (00 (05 |
| - | 19 | multi\$dimension\$4 adj space and sort\$4 | USPAT; | 2003/08/25 |
| | | and group\$4 and ambiguit\$4 and indicat\$4 | EPO; JPO; | 10:03 |
| | | | IBM_TDB | |
| _ | 5 | multi\$dimension\$4 adj space and sort\$4 | USPĀT; | 2003/08/25 |
| | | and group\$4 and ambiguit\$4 and indicat\$4 | EPO; JPO; | 10:09 |
| | | | IBM TDB | |
| | · _ | and assign\$4 with indicat\$4 | | 2002/09/25 |
| _ | 5 | multi\$dimension\$4 adj space and sort\$4 | USPAT; | 2003/08/25 |
| | | and group\$4 and ambiguit\$4 and indic\$6 | EPO; JPO; | 10:10 |
| | | and assign\$4 with indicat\$4 | IBM_TDB |] |
| - . | 5 | multi\$dimension\$4 adj space and sort\$4 | USPAT; | 2003/08/25 |
| | | and group\$4 and ambiguit\$4 and indic\$6 | EPO; JPO; | 10:12 |
| | | and assign\$4 with indic\$6 | IBM TDB | |
| | - | multi\$dimension\$4 adj space and sort\$4 | USPAT; | 2003/08/25 |
| _ | 5 | multisdimensions4 adj space and solica4 | | |
| i | | and group\$4 and ambiguit\$4 and assign\$4 | EPO; JPO; | 10:17 |
| | | with indic\$6 | IBM_TDB | |
| - | 0 | multi\$dimension\$4 adj space and sort\$4 | USPAT; | 2003/08/25 |
| | | and group\$4 and ambiguit\$4 and assign\$4 | EPO; JPO; | 10:17 |
| | | with indic\$6 and group\$4 with ambiguit\$4 | IBM TDB | [|
| _ | 1 | multi\$dimension\$4 adj space and sort\$4. | USPAT; | 2003/08/25 |
| | * | and group\$4 and ambiguit\$4 and assign\$4 | EPO; JPO; | 10:23 |
| 1 | | | IBM TDB | -0.20 |
| | | with indic\$6 and order\$4 with ambiguit\$4 | | 2222 (22 (25 |
| - | 15382 | multi\$dimension\$4 adj space ambiguit\$4 | USPAT; | 2003/08/25 |
| | | | EPO; JPO; | 10:23 |
| | | | IBM_TDB | |
| - . | 787 | multi\$dimension\$4 adj space ambiguit\$4 | USPAT; | 2003/08/25 |
| | | and sort with dimension | EPO; JPO; | 13:37 |
| | | , | IBM TDB | |
| | 707 | multisdimongions4 add enace ambiguits4 | USPAT; | 2003/08/25 |
| - | /9/ | multi\$dimension\$4 adj space ambiguit\$4 | | 10:24 |
| | | and sort\$4 with dimension | EPO; JPO; | 10.27 |
| | | | IBM_TDB | 0000/00/05 |
| - | 777 | | USPAT; | 2003/08/25 |
| | | and sort\$4 with dimension and group\$4 | EPO; JPO; | 10:25 |
| | | with ambiguit\$4 | IBM TDB | |
| _ | 777 | | USPAT; | 2003/08/25 |
| 1 | ''' | and sort\$4 with dimension and group\$4 | EPO; JPO; | 11:09 |
| } | | | IBM TDB | |
| 1 | | with ambiguit\$4 and order\$4 with | TBR-IDB | |
| | | ambiguit\$4 | | 2002/02/25 |
| - | 0 | multi\$dimension\$4 adj space and | USPAT; | 2003/08/25 |
| Ì | | ambiguit\$4 and sort\$4 with dimension and | EPO; JPO; | 10:25 |
| | | group\$4 with ambiguit\$4 and order\$4 with | IBM TDB | |
| 1 | | ambiguit\$4 | _ | 1 |
| 1_ | 42 | | USPAT; | 2003/08/25 |
| | 1 42 | | EPO; JPO; | 10:25 |
| 1 | | ambiguit\$4 | | 10.23 |
| | _ | 1 | IBM_TDB | 2002/08/25 |
| - | 19 | | USPAT; | 2003/08/25 |
| | | ambiguit\$4 and sort\$4 and group\$4 and | EPO; JPO; | 10:26 |
| 1 | | order\$4 | IBM TDB | |
| _ | 11 | I | USPAT; | 2003/08/25 |
| 1 | | ambiguit\$4 and sort\$4 and group\$4 and | EPO; JPO; | 10:26 |
| | | | IBM TDB | 1 |
| | _ | order\$4 and coordinate | | 2002/09/25 |
| _ | 7 | multi\$dimension\$4 adj space and | USPAT; | 2003/08/25 |
| | 1 | ambiguit\$4 and sort\$4 and group\$4 and | EPO; JPO; | 10:26 |
| | | order\$4 and coordinate with value | IBM_TDB | |
| | | | | |

| | | | _ | |
|--------------|----|---|-----------|--------------|
| _ | 10 | multi\$dimension\$4 adj space and | USPAT; | 2003/08/25 |
| | | ambiguit\$4 and sort\$4 and group\$4 and | EPO; JPO; | 10:38 |
| | | order\$4 and coordinate and location | IBM_TDB | |
| - | 8 | multi\$dimension\$4 adj space and | USPAT; | 2003/08/25 |
| | | ambiguit\$4 and sort\$4 and group\$4 and | EPO; JPO; | 10:48 |
| | | order\$4 and coordinate and location and | IBM_TDB | |
| | | threshold | | |
| _ | 2 | multi\$dimension\$4 adj space and | USPAT; | 2003/08/25 |
| | | ambiguit\$4 and sort\$4 and group\$4 and | EPO; JPO; | 10:40 |
| | | order\$4 with object and coordinate and | IBM_TDB | |
| | | location and threshold | | |
| - | 0 | multi\$dimension\$4 adj space and | USPAT; | 2003/08/25 |
| | | ambiguit\$4 and sort\$4 and group\$4 and | EPO; JPO; | 10:48 |
| | | order\$4 and coordinate and location and | IBM_TDB | |
| | | threshold and detect\$4 with (position | | |
| | _ | location) | | 2000 (00 (00 |
| _ | 0 | multi\$dimension\$4 adj space and | USPAT; | 2003/08/25 |
| | | ambiguit\$4 and sort\$4 and group\$4 and | EPO; JPO; | 10:49 |
| | | order\$4 and coordinate and location and | IBM_TDB | |
| | | threshold and (detect\$4 sens\$4) with | | |
| | _ | (position location) | | 2002/02/25 |
| - | 2 | multi\$dimension\$4 adj space and | USPAT; | 2003/08/25 |
| | | ambiguit\$4 and sort\$4 and group\$4 and | EPO; JPO; | 10:50 |
| | 1 | order\$4 and coordinate and location and | IBM_TDB | |
| | 1 | threshold and (determin\$4) with (position | | |
| • | | location) | USPAT; | 2003/08/25 |
| - | 8 | multi\$dimension\$4 adj space and ambiguit\$4 and sort\$4 and group\$4 and | EPO; JPO; | 10:50 |
| | | order\$4 and coordinate and location and | IBM TDB | 10:50 |
| | | threshold and (locat\$4 determin\$4) with | 1 TOM TOB | |
| | | (position location) | | |
| _ | 5 | | USPAT; | 2003/08/25 |
| | , | ambiguit\$4 and sort\$4 and group\$4 and | EPO; JPO; | 10:59 |
| | | order\$4 and coordinate and location and | IBM TDB | 10.03 |
| | | threshold and (indicat\$4 identif\$4) with | 15155 | |
| | | (position location) | | |
| _ | 2 | multi\$dimension\$4 adj space and | USPAT; | 2003/08/25 |
| | | ambiguit\$4 and sort\$4 and group\$4 and | EPO; JPO; | 11:01 |
| | | order\$4 and coordinate and location and | IBM TDB | |
| | | threshold and (indicat\$4 identif\$4) with | _ | |
| | | (position location) and separat\$4 with | | i i |
| | | object | | |
| - | 3 | ("5365236" "5309159" "5128684").pn. | USPAT; | 2003/08/25 |
| | | | EPO; JPO; | 11:24 |
| | | | IBM_TDB ' | 1 |
| - | 0 | ("5365236" "5309159" "5128684").pn. and | USPAT; | 2003/08/25 |
| | | multi\$dimension\$4 adj space | EPO; JPO; | 11:03 |
| | [| | IBM_TDB | |
| _ | 1 | ("5365236" "5309159" "5128684").pn. and | USPAT; | 2003/08/25 |
| | | multi\$dimension\$4 | EPO; JPO; | 11:03 |
| | | | IBM_TDB | |
| - | 0 | | USPAT; | 2003/08/25 |
| | | ambiguit\$4 and sort\$4 with (object | EPO; JPO; | 11:07 |
| • | | dimension) and group\$4 with ambiguit\$4 | IBM_TDB | |
| | | and order\$4 with ambiguit\$4 | linam | 2002/22/25 |
| - | 0 | multi\$dimension\$4 adj space and | USPAT; | 2003/08/25 |
| | | (uncertain\$4 unknown ambiguit\$4) and | EPO; JPO; | 11:09 |
| | | sort\$4 with (object dimension) and | IBM_TDB | |
| | | group\$4 with (uncertain\$4 unknown | | |
| | 1 | ambiguit\$4) and order\$4 with (uncertain\$4 | | |
| | _ | unknown ambiguit\$4) | HCD2m. | 2002/00/25 |
| _ | 5 | multi\$dimension\$4 adj space and | USPAT; | 2003/08/25 |
| | | (uncertain\$4 unknown ambiguit\$4) and | EPO; JPO; | 11:09 |
| | | sort\$4 and group\$4 with (uncertain\$4 | IBM_TDB | |
| | | unknown ambiguit\$4) and order\$4 with | | |
| | 3 | (uncertain\$4 unknown ambiguit\$4) ("5365236" "5309159" "5128684").pn. and | USPAT; | 2003/08/25 |
| _ | 3 | dimension\$4 | EPO; JPO; | 11:25 |
| | | dImension on a | 1 | 11.25 |
| | | | IBM_TDB | |

| 2 | | | _ | | |
|---|------------|-----|---|---|------------|
| dimension\$4 with space EPO, JPO; 11:25 IBM TDB USPAT; 2003/08/25 EPO; JPO; uncertain\$4 unknown) 11:25 IBM TDB USPAT; 2003/08/25 EPO; JPO; uncertain\$4 unknown) 20 ("5365236" "5309159" "5128684").pn. and dimension\$4 with space and (ambigu\$4 uncertain\$4 unknown) and sort\$4 ("5365236" "5309159" "5128684").pn. and dimension\$4 with space and (ambigu\$4 uncertain\$4 unknown) and group\$ and dimension\$4 with space and (ambigu\$4 uncertain\$4 unknown) and group\$ IBM TDB USPAT; 2003/08/25 IBM TDB USPAT; 2003 | _ | 2 | ("5365236" "5309159" "5128684").pn. and | USPAT; | 2003/08/25 |
| TBM TDB USPAT; 2003/08/25 11:25 12:26 12:2 | | _ | | EPO; JPO; | |
| dimensions4 with space and (ambigus4 uncertains4 unknown) - | | i | | IBM TDB | |
| dimensions4 with space and (ambigus4 uncertains4 unknown) - | l <u>-</u> | 2 | ("5365236" "5309159" "5128684").pn. and | USPAT; | 2003/08/25 |
| Uncertain\$4 unknown ("5365236" "5309159" "5128684").pn. and dimension\$4 with space and (ambigu\$4 uncertain\$4 unknown) and sort\$4 | | _ | dimension\$4 with space and (ambigu\$4 | EPO; JPO; | 11:25 |
| dimension\$4 with space and (ambigu\$4 IBM_TDB USPAT; 2003/08/25 IBM_TDB USPAT; 20 | | | | IBM TDB | |
| dimension\$4 with space and (ambigu\$4 IBM_TDB USPAT; 2003/08/25 IBM_TDB USPAT; 20 | - | 0 | ("5365236" "5309159" "5128684").pn. and | USPAT; | 2003/08/25 |
| - 1 ("5365236" "5309159" "5128684").pn. and dimension\$4 with space and (ambigu\$4 uncertain\$4 unknown) and group\$ and ("5365236" "5309159" "5128684").pn. and dimension\$4 adj space - 1 ("5365236" "5309159" "5128684").pn. and dimension\$4 with space and (ambigu\$4 uncertain\$4 unknown) and group\$ and dimension\$4 with space and (ambigu\$4 uncertain\$4 unknown) and group\$ and sort\$4 - 2 ("5365236" "5309159" "5128684").pn. and dimension\$4 with space and (ambigu\$4 uncertain\$4 unknown) and group\$ and sort\$4 - 2 ("5365236" "5309159" "5128684").pn. and dimension\$4 with space and (ambigu\$4 uncertain\$4 unknown) and group\$ and coordinate - 0 ("5365236" "5309159" "5128684").pn. and dimension\$4 with space and (ambigu\$4 uncertain\$4 unknown) and group\$ and coordinate - 0 ("5365236" "5309159" "5128684").pn. and dimension\$4 with space and (ambigu\$4 uncertain\$4 unknown) and group\$ and coordinate with value - 1 ("5365236" "5309159" "5128684").pn. and dimension\$4 with space and (ambigu\$4 uncertain\$4 unknown) and group\$ and coordinate with value - 1 ("5365236" "5309159" "5128684").pn. and dimension\$4 with space and (ambigu\$4 uncertain\$4 unknown) and group\$ and coordinate and value - 1 ("5365236" "5309159" "5128684").pn. and dimension\$4 with space and (ambigu\$4 uncertain\$4 unknown) and group\$ and coordinate and value - 1 ("5365236" "5309159" "5128684").pn. and dimension\$4 with space and (ambigu\$4 uncertain\$4 unknown) and group\$ and coordinate and value - 1 ("5365236" "5309159" "5128684").pn. and dimension\$4 with space and (ambigu\$4 uncertain\$4 unknown) and group\$ and coordinate and value - 1 ("5365236" "5309159" "5128684").pn. and dimension\$4 with space and (ambigu\$4 uncertain\$4 unknown) and group\$ and coordinate and value - 1 ("5365236" "5309159" "5128684").pn. and dimension\$4 with space and (ambigu\$4 uncertain\$4 unknown) and group\$ and coordinate and value - 1 ("5365236" "5309159" "5128684").pn. and dimension\$4 with space and (ambigu\$4 uncertain\$4 unknown) and group\$ and coordinate and value - 1 ("5365236" "5309159" "5128684").pn. and d | | | dimension\$4 with space and (ambigu\$4 | EPO; JPO; | 11:25 |
| dimension\$4 with space and (ambigu\$4 uncertain\$4 unknown) and group\$ and (orders ordering) 1 ("5365236" "5309159" "5128684").pn. and dimension\$4 adj space 1 ("5365236" "5309159" "5128684").pn. and dimension\$4 with space and (ambigu\$4 uncertain\$4 unknown) and group\$ and dimension\$4 with space and (ambigu\$4 uncertain\$4 unknown) and group\$ and dimension\$4 with space and (ambigu\$4 uncertain\$4 unknown) and group\$ and dimension\$4 with space and (ambigu\$4 uncertain\$4 unknown) and group\$ and dimension\$4 with space and (ambigu\$4 uncertain\$4 unknown) and group\$ and coordinate with value 0 ("5365236" "5309159" "5128684").pn. and dimension\$4 with space and (ambigu\$4 uncertain\$4 unknown) and group\$ and coordinate with value 1 ("5365236" "5309159" "5128684").pn. and dimension\$4 with space and (ambigu\$4 uncertain\$4 unknown) and group\$ and coordinate with value 1 ("5365236" "5309159" "5128684").pn. and dimension\$4 with space and (ambigu\$4 uncertain\$4 unknown) and group\$ and coordinate with value 1 ("5365236" "5309159" "5128684").pn. and dimension\$4 with space and (ambigu\$4 uncertain\$4 unknown) and group\$ and coordinate and value 1 ("5365236" "5309159" "5128684").pn. and dimension\$4 with space and (ambigu\$4 uncertain\$4 unknown) and group\$ and coordinate and value 1 ("5365236" "5309159" "5128684").pn. and dimension\$4 with space and (ambigu\$4 uncertain\$4 unknown) and group\$ and coordinate and value 1 ("5365236" "5309159" "5128684").pn. and dimension\$4 with space and (ambigu\$4 uncertain\$4 unknown) and group\$ and coordinate and value 1 ("5365236" "5309159" "5128684").pn. and dimension\$4 with space and (ambigu\$4 uncertain\$4 unknown) and group\$ and coordinate and value 1 ("5365236" "5309159" "5128684").pn. and dimension\$4 with space and (ambigu\$4 uncertain\$4 unknown) and group\$ and coordinate and value 2 ("5365236" "5309159" "5128684").pn. and dimension\$4 with space and (ambigu\$4 uncertain\$4 unknown) and group\$ and coordinate and value 3 ("5365236" "5309159" "5128684").pn. and dimension\$4 with space and (ambigu\$4 uncerta | | | uncertain\$4 unknown) and sort\$4 | IBM TDB | |
| uncertain\$4 unknown) and group\$ and (orders ordering) | _ | . 1 | ("5365236" "5309159" "5128684").pn. and | USPAT; | 2003/08/25 |
| uncertain\$4 unknown) and group\$ and (orders ordering) | | | dimension\$4 with space and (ambigu\$4 | EPO; JPO; | 11:26 |
| - 1 ("5365236" "5309159" "5128684").pn. and dimension\$4 adj space - 1 ("5365236" "5309159" "5128684").pn. and dimension\$4 adj space - 2 ("5365236" "5309159" "5128684").pn. and dimension\$4 with space and (ambigu\$4 uncertain\$4 unknown) and group\$ - 0 ("5365236" "5309159" "5128684").pn. and dimension\$4 with space and (ambigu\$4 uncertain\$4 unknown) and group\$ - 2 ("5365236" "5309159" "5128684").pn. and dimension\$4 with space and (ambigu\$4 uncertain\$4 unknown) and group\$ and sort\$4 - 2 ("5365236" "5309159" "5128684").pn. and dimension\$4 with space and (ambigu\$4 uncertain\$4 unknown) and group\$ and coordinate - 0 ("5365236" "5309159" "5128684").pn. and dimension\$4 with space and (ambigu\$4 uncertain\$4 unknown) and group\$ and coordinate with value - 1 ("5365236" "5309159" "5128684").pn. and dimension\$4 with space and (ambigu\$4 uncertain\$4 unknown) and group\$ and coordinate with value - 1 ("5365236" "5309159" "5128684").pn. and dimension\$4 with space and (ambigu\$4 uncertain\$4 unknown) and group\$ and coordinate and value - 1 ("5365236" "5309159" "5128684").pn. and dimension\$4 with space and (ambigu\$4 uncertain\$4 unknown) and group\$ and coordinate and value - 1 ("5365236" "5309159" "5128684").pn. and dimension\$4 with space and (ambigu\$4 uncertain\$4 unknown) and group\$ and coordinate and value - 1 ("5365236" "5309159" "5128684").pn. and dimension\$4 with space and (ambigu\$4 uncertain\$4 unknown) and group\$ and coordinate and value - 1 ("5365236" "5309159" "5128684").pn. and dimension\$4 with space and (ambigu\$4 uncertain\$4 unknown) and group\$ and coordinate and value - 1 ("5365236" "5309159" "5128684").pn. and dimension\$4 with space and (ambigu\$4 uncertain\$4 unknown) and group\$ and coordinate and value - 1 ("5365236" "5309159" "5128684").pn. and dimension\$4 with space and (ambigu\$4 uncertain\$4 unknown) and group\$ and group\$ and group\$ [EPO; JPO; I1:29] | | | | IBM_TDB | |
| dimension\$4 adj space | | | | | |
| TBM_TDB | - | 1 | ("5365236" "5309159" "5128684").pn. and | | |
| 1 | | | dimension\$4 adj space | | 11:26 |
| dimension\$4 adj space 2 ("5365236" "5309159" "5128684").pn. and dimension\$4 with space and (ambigu\$4 uncertain\$4 unknown) and group\$ - 0 ("5365236" "5309159" "5128684").pn. and dimension\$4 with space and (ambigu\$4 uncertain\$4 unknown) and group\$ - 2 ("5365236" "5309159" "5128684").pn. and dimension\$4 with space and (ambigu\$4 uncertain\$4 unknown) and group\$ and sort\$4 - 2 ("5365236" "5309159" "5128684").pn. and dimension\$4 with space and (ambigu\$4 uncertain\$4 unknown) and group\$ and coordinate - 0 ("5365236" "5309159" "5128684").pn. and dimension\$4 with space and (ambigu\$4 uncertain\$4 unknown) and group\$ and coordinate with value - 1 ("5365236" "5309159" "5128684").pn. and dimension\$4 with space and (ambigu\$4 uncertain\$4 unknown) and group\$ and coordinate and value - 1 ("5365236" "5309159" "5128684").pn. and dimension\$4 with space and (ambigu\$4 uncertain\$4 unknown) and group\$ and coordinate and value - 1 ("5365236" "5309159" "5128684").pn. and dimension\$4 with space and (ambigu\$4 uncertain\$4 unknown) and group\$ and coordinate and value - 1 ("5365236" "5309159" "5128684").pn. and dimension\$4 with space and (ambigu\$4 uncertain\$4 unknown) and group\$ and coordinate and value - 1 ("5365236" "5309159" "5128684").pn. and dimension\$4 with space and (ambigu\$4 uncertain\$4 unknown) and group\$ and coordinate and value - 1 ("5365236" "5309159" "5128684").pn. and dimension\$4 unknown) and group\$ and dimension\$4 unknown and group\$ and dimension\$4 unknown and group\$ and dimension\$4 unknown | | | | | |
| - 2 ("5365236" "5309159" "5128684").pn. and dimension\$4 with space and (ambigu\$4 uncertain\$4 unknown) and group\$ | - | 1 | | 1 | 1 ' ' |
| - 2 ("5365236" "5309159" "5128684").pn. and dimension\$4 with space and (ambigu\$4 uncertain\$4 unknown) and group\$ - 0 ("5365236" "5309159" "5128684").pn. and dimension\$4 with space and (ambigu\$4 uncertain\$4 unknown) and group\$ and sort\$4 - 2 ("5365236" "5309159" "5128684").pn. and dimension\$4 with space and (ambigu\$4 uncertain\$4 unknown) and group\$ and coordinate - 0 ("5365236" "5309159" "5128684").pn. and dimension\$4 with space and (ambigu\$4 uncertain\$4 unknown) and group\$ and coordinate with value - 1 ("5365236" "5309159" "5128684").pn. and dimension\$4 with space and (ambigu\$4 uncertain\$4 unknown) and group\$ and coordinate with value - 1 ("5365236" "5309159" "5128684").pn. and dimension\$4 with space and (ambigu\$4 uncertain\$4 unknown) and group\$ and coordinate and value - 1 ("5365236" "5309159" "5128684").pn. and dimension\$4 with space and (ambigu\$4 uncertain\$4 unknown) and group\$ and coordinate and value - 1 ("5365236" "5309159" "5128684").pn. and dimension\$4 with space and (ambigu\$4 uncertain\$4 unknown) and group\$ and coordinate and value - 1 ("5365236" "5309159" "5128684").pn. and dimension\$4 with space and (ambigu\$4 uncertain\$4 unknown) and group\$ and coordinate and value - 1 ("5365236" "5309159" "5128684").pn. and dimension\$4 with space and (ambigu\$4 uncertain\$4 unknown) and group\$ and coordinate and value - 1 ("5365236" "5309159" "5128684").pn. and dimension\$4 with space and (ambigu\$4 uncertain\$4 unknown) and group\$ and coordinate and value - 1 ("5365236" "5309159" "5128684").pn. and dimension\$4 uncertain\$4 unknown) and group\$ and libm TDB | | | dimension\$4 adj space | | 11:27 |
| dimension\$4 with space and (ambigu\$4 uncertain\$4 unknown) and group\$ 0 ("5365236" "5309159" "5128684").pn. and dimension\$4 with space and (ambigu\$4 uncertain\$4 unknown) and group\$ and sort\$4 2 ("5365236" "5309159" "5128684").pn. and dimension\$4 with space and (ambigu\$4 uncertain\$4 unknown) and group\$ and coordinate 0 ("5365236" "5309159" "5128684").pn. and dimension\$4 with space and (ambigu\$4 uncertain\$4 unknown) and group\$ and coordinate with value 1 ("5365236" "5309159" "5128684").pn. and dimension\$4 with space and (ambigu\$4 uncertain\$4 unknown) and group\$ and coordinate with value 1 ("5365236" "5309159" "5128684").pn. and dimension\$4 with space and (ambigu\$4 uncertain\$4 unknown) and group\$ and coordinate and value 1 ("5365236" "5309159" "5128684").pn. and dimension\$4 with space and (ambigu\$4 uncertain\$4 unknown) and group\$ and coordinate and value 1 ("5365236" "5309159" "5128684").pn. and dimension\$4 with space and (ambigu\$4 uncertain\$4 unknown) and group\$ and coordinate and value 1 ("5365236" "5309159" "5128684").pn. and dimension\$4 with space and (ambigu\$4 uncertain\$4 unknown) and group\$ and libm TDB | | | | _ | |
| - 0 ("5365236" "5309159" "5128684").pn. and USPAT; 2003/08/25 linearion\$4 with space and (ambigu\$4 uncertain\$4 unknown) and group\$ and sort\$4 - 2 ("5365236" "5309159" "5128684").pn. and dimension\$4 with space and (ambigu\$4 uncertain\$4 unknown) and group\$ and libm_TDB linearion\$4 with space and (ambigu\$4 uncertain\$4 unknown) and group\$ and coordinate ("5365236" "5309159" "5128684").pn. and dimension\$4 with space and (ambigu\$4 uncertain\$4 unknown) and group\$ and libm_TDB linearion\$4 with value libm_TDB linearion\$4 with value libm_TDB linearion\$4 with space and (ambigu\$4 libm_TDB linearion\$4 with value libm_TDB linearion\$4 with space and (ambigu\$4 libm_TDB libm_TD | - . | 2 | | | 1 |
| - 0 ("5365236" "5309159" "5128684").pn. and dimension\$4 with space and (ambigu\$4 uncertain\$4 unknown) and group\$ and sort\$4 - 2 ("5365236" "5309159" "5128684").pn. and dimension\$4 with space and (ambigu\$4 uncertain\$4 unknown) and group\$ and coordinate - 0 ("5365236" "5309159" "5128684").pn. and dimension\$4 with space and (ambigu\$4 uncertain\$4 unknown) and group\$ and coordinate with value - 1 ("5365236" "5309159" "5128684").pn. and dimension\$4 with space and (ambigu\$4 uncertain\$4 unknown) and group\$ and coordinate with value - 1 ("5365236" "5309159" "5128684").pn. and dimension\$4 with space and (ambigu\$4 uncertain\$4 unknown) and group\$ and coordinate and value - 1 ("5365236" "5309159" "5128684").pn. and dimension\$4 with space and (ambigu\$4 uncertain\$4 unknown) and group\$ and coordinate and value - 1 ("5365236" "5309159" "5128684").pn. and dimension\$4 with space and (ambigu\$4 uncertain\$4 unknown) and group\$ and dimension\$4 with space and (ambigu\$4 uncertain\$4 unknown) and group\$ and dimension\$4 with space and (ambigu\$4 uncertain\$4 unknown) and group\$ and dimension\$4 with space and (ambigu\$4 uncertain\$4 unknown) and group\$ and dimension\$4 with space and (ambigu\$4 uncertain\$4 unknown) and group\$ and uncertain\$4 unknown uncertain\$4 unknown) and group\$ and uncertain\$4 unknown uncertain\$4 unknown uncertain\$4 unknown uncertain\$4 unknown uncertain\$4 | | | | | 11:27 |
| dimension\$4 with space and (ambigu\$4 uncertain\$4 unknown) and group\$ and sort\$4 2 ("5365236" "5309159" "5128684").pn. and dimension\$4 with space and (ambigu\$4 EPO; JPO; l1:28 uncertain\$4 unknown) and group\$ and coordinate 0 ("5365236" "5309159" "5128684").pn. and dimension\$4 with space and (ambigu\$4 EPO; JPO; l1:28 uncertain\$4 unknown) and group\$ and coordinate with value 1 ("5365236" "5309159" "5128684").pn. and dimension\$4 with space and (ambigu\$4 EPO; JPO; l1:28 uncertain\$4 unknown) and group\$ and coordinate and value 1 ("5365236" "5309159" "5128684").pn. and doordinate and value 1 ("5365236" "5309159" "5128684").pn. and dimension\$4 with space and (ambigu\$4 EPO; JPO; l1:29 uncertain\$4 unknown) and group\$ and coordinate and value 1 ("5365236" "5309159" "5128684").pn. and dimension\$4 with space and (ambigu\$4 EPO; JPO; l1:29 uncertain\$4 unknown) and group\$ and IBM_TDB | | | uncertain\$4 unknown) and group\$ | _ | |
| uncertain\$4 unknown) and group\$ and sort\$4 2 ("5365236" "5309159" "5128684").pn. and dimension\$4 with space and (ambigu\$4 uncertain\$4 unknown) and group\$ and coordinate 0 ("5365236" "5309159" "5128684").pn. and dimension\$4 with space and (ambigu\$4 EPO; JPO; 11:28 uncertain\$4 unknown) and group\$ and coordinate with value 1 ("5365236" "5309159" "5128684").pn. and dimension\$4 with space and (ambigu\$4 EPO; JPO; 11:28 uncertain\$4 unknown) and group\$ and coordinate with value 1 ("5365236" "5309159" "5128684").pn. and doordinate and value 1 ("5365236" "5309159" "5128684").pn. and dimension\$4 with space and (ambigu\$4 EPO; JPO; 11:29 uncertain\$4 unknown) and group\$ and coordinate and value 1 ("5365236" "5309159" "5128684").pn. and dimension\$4 with space and (ambigu\$4 EPO; JPO; 11:29 uncertain\$4 unknown) and group\$ and IBM TDB | - | 0 | | | 1 ' ' |
| sort\$4 ("5365236" "5309159" "5128684").pn. and dimension\$4 with space and (ambigu\$4 uncertain\$4 unknown) and group\$ and coordinate ("5365236" "5309159" "5128684").pn. and dimension\$4 with space and (ambigu\$4 uncertain\$4 unknown) and group\$ and coordinate with value ("5365236" "5309159" "5128684").pn. and dimension\$4 with space and (ambigu\$4 uncertain\$4 unknown) and group\$ and coordinate with value ("5365236" "5309159" "5128684").pn. and dimension\$4 with space and (ambigu\$4 uncertain\$4 unknown) and group\$ and coordinate and value ("5365236" "5309159" "5128684").pn. and dimension\$4 with space and (ambigu\$4 uncertain\$4 unknown) and group\$ and coordinate and value ("5365236" "5309159" "5128684").pn. and dimension\$4 with space and (ambigu\$4 uncertain\$4 unknown) and group\$ and IBM TDB | | | | 1 ' | 11:28 |
| - 2 ("5365236" "5309159" "5128684").pn. and dimension\$4 with space and (ambigu\$4 EPO; JPO; uncertain\$4 unknown) and group\$ and coordinate - 0 ("5365236" "5309159" "5128684").pn. and dimension\$4 with space and (ambigu\$4 EPO; JPO; uncertain\$4 unknown) and group\$ and coordinate with value - 1 ("5365236" "5309159" "5128684").pn. and dimension\$4 with space and (ambigu\$4 EPO; JPO; uncertain\$4 unknown) and group\$ and coordinate with value - 1 ("5365236" "5309159" "5128684").pn. and dimension\$4 with space and (ambigu\$4 EPO; JPO; uncertain\$4 unknown) and group\$ and coordinate and value - 1 ("5365236" "5309159" "5128684").pn. and dimension\$4 with space and (ambigu\$4 EPO; JPO; uncertain\$4 unknown) and group\$ and IBM_TDB | | | | I BW_LDB | 1 |
| dimension\$4 with space and (ambigu\$4 uncertain\$4 unknown) and group\$ and coordinate ("5365236" "5309159" "5128684").pn. and dimension\$4 with space and (ambigu\$4 uncertain\$4 unknown) and group\$ and coordinate with value ("5365236" "5309159" "5128684").pn. and dimension\$4 with space and (ambigu\$4 uncertain\$4 unknown) and group\$ and coordinate with value ("5365236" "5309159" "5128684").pn. and dimension\$4 with space and (ambigu\$4 uncertain\$4 unknown) and group\$ and coordinate and value ("5365236" "5309159" "5128684").pn. and dimension\$4 with space and (ambigu\$4 uncertain\$4 unknown) and group\$ and uspat; and dimension\$4 with space and (ambigu\$4 uncertain\$4 unknown) and group\$ and uspat; and dimension\$4 with space and (ambigu\$4 uncertain\$4 unknown) and group\$ and uspat; and uspat; and uspat; and uncertain\$4 unknown) and group\$ and uspat; and uspat | | | | *************************************** | 2002/00/25 |
| uncertain\$4 unknown) and group\$ and coordinate ("5365236" "5309159" "5128684").pn. and dimension\$4 with space and (ambigu\$4 tooordinate with value ("5365236" "5309159" "5128684").pn. and dimension\$4 with space and (ambigu\$4 todoes dimension\$4 with space and (ambigu\$4 tooordinate with value ("5365236" "5309159" "5128684").pn. and dimension\$4 with space and (ambigu\$4 tooordinate and value ("5365236" "5309159" "5128684").pn. and dimension\$4 with space and (ambigu\$4 tooordinate and value ("5365236" "5309159" "5128684").pn. and dimension\$4 with space and (ambigu\$4 tooordinate and value ("5365236" "5309159" "5128684").pn. and dimension\$4 with space and (ambigu\$4 tooordinate and value tooordinate | - | 2 | | | |
| coordinate ("5365236" "5309159" "5128684").pn. and dimension\$4 with space and (ambigu\$4 | | 1 | | 1 ' ' | 11:28 |
| - 0 ("5365236" "5309159" "5128684").pn. and dimension\$4 with space and (ambigu\$4 EPO; JPO; uncertain\$4 unknown) and group\$ and coordinate with value - 1 ("5365236" "5309159" "5128684").pn. and dimension\$4 with space and (ambigu\$4 EPO; JPO; uncertain\$4 unknown) and group\$ and coordinate and value - 1 ("5365236" "5309159" "5128684").pn. and dimension\$4 with space and (ambigu\$4 EPO; JPO; uncertain\$4 unknown) and group\$ and USPAT; 2003/08/25 dimension\$4 with space and (ambigu\$4 EPO; JPO; uncertain\$4 unknown) and group\$ and IBM TDB | | 1 | | T DIVI_I DD | |
| dimension\$4 with space and (ambigu\$4 uncertain\$4 unknown) and group\$ and coordinate with value 1 ("5365236" "5309159" "5128684").pn. and dimension\$4 with space and (ambigu\$4 EPO; JPO; uncertain\$4 unknown) and group\$ and coordinate and value 1 ("5365236" "5309159" "5128684").pn. and dimension\$4 with space and (ambigu\$4 EPO; JPO; dimension\$4 with space and (ambigu\$4 EPO; JPO; uncertain\$4 unknown) and group\$ and IBM TDB | _ | | | IISDAT. | 2003/08/25 |
| uncertain\$4 unknown) and group\$ and coordinate with value 1 ("5365236" "5309159" "5128684").pn. and dimension\$4 with space and (ambigu\$4 EPO; JPO; uncertain\$4 unknown) and group\$ and coordinate and value 1 ("5365236" "5309159" "5128684").pn. and dimension\$4 with space and (ambigu\$4 EPO; JPO; dimension\$4 with space and (ambigu\$4 EPO; JPO; uncertain\$4 unknown) and group\$ and IBM TDB | 1 | 1 | | 1 | |
| coordinate with value ("5365236" "5309159" "5128684").pn. and dimension\$4 with space and (ambigu\$4 EPO; JPO; uncertain\$4 unknown) and group\$ and coordinate and value ("5365236" "5309159" "5128684").pn. and dimension\$4 with space and (ambigu\$4 EPO; JPO; dimension\$4 with space and (ambigu\$4 EPO; JPO; uncertain\$4 unknown) and group\$ and IBM TDB | 1 | | | | 11.20 |
| - 1 ("5365236" "5309159" "5128684").pn. and dimension\$4 with space and (ambigu\$4 EPO; JPO; uncertain\$4 unknown) and group\$ and coordinate and value ("5365236" "5309159" "5128684").pn. and dimension\$4 with space and (ambigu\$4 EPO; JPO; uncertain\$4 unknown) and group\$ and IBM TDB | | | | 1511-155 | |
| dimension\$4 with space and (ambigu\$4 | _ | 1 | | USPAT: | 2003/08/25 |
| uncertain\$4 unknown) and group\$ and IBM_TDB coordinate and value 1 ("5365236" "5309159" "5128684").pn. and USPAT; 2003/08/25 dimension\$4 with space and (ambigu\$4 EPO; JPO; uncertain\$4 unknown) and group\$ and IBM TDB | | | | | 1 ' ' |
| coordinate and value 1 ("5365236" "5309159" "5128684").pn. and USPAT; 2003/08/25 dimension\$4 with space and (ambigu\$4 EPO; JPO; 11:29 uncertain\$4 unknown) and group\$ and IBM TDB | | | | | · · |
| - 1 ("5365236" "5309159" "5128684").pn. and USPAT; 2003/08/25 dimension\$4 with space and (ambigu\$4 EPO; JPO; uncertain\$4 unknown) and group\$ and IBM TDB | | | | | |
| dimension\$4 with space and (ambigu\$4 | _ | 1 | | USPAT; | 2003/08/25 |
| uncertain\$4 unknown) and group\$ and IBM TDB | | | | EPO; JPO; | 11:29 |
| | | | uncertain\$4 unknown) and group\$ and | IBM TDB | |
| | | | | | |